

**AQUA K-OTHRINE®**

Version 1 / IND  
102000032068

1/12

Revision Date: 16.09.2024  
Print Date: 16.09.2024

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1 Product identifier**

**Trade name** AQUA K-OTHRINE (DELTAMETHRIN 2% W/W EW)  
**Product code (UVP)** 84935115

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Use** Insecticide

**1.3 Details of the supplier of the safety data sheet**

**Supplier** 2022 ES Discovery India Private Limited  
Zenia Building,  
7th Floor, Hiranandani Circle  
Hiranandani Estate,  
Thane West - 400607  
Maharashtra  
**Telephone** : +91-22-50023540  
**Telefax** : +91-22-50972774  
**Emergency telephone no.** : 000 800 1007 141

**SECTION 2: HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture**

**Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Acute toxicity: Category 4

H302 Harmful if swallowed.

Aspiration hazard: Category 1

H304 May be fatal if swallowed and enters airways.

Skin sensitisation: Category 1

H317 May cause an allergic skin reaction.

Acute aquatic toxicity: Category 1

H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1

**AQUA K-OTHRINE®**Version 1 / IND  
102000032068

2/12

Revision Date: 16.09.2024  
Print Date: 16.09.2024

H410 Very toxic to aquatic life with long lasting effects.

**2.2 Label elements****Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Hazard label for supply/use required.

**Hazardous components which must be listed on the label:**

- Deltamethrin
- Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene

**Signal word:** Danger**Hazard statements**

H302 Harmful if swallowed.  
 H304 May be fatal if swallowed and enters airways.  
 H317 May cause an allergic skin reaction.  
 H410 Very toxic to aquatic life with long lasting effects.  
 EUH066 Repeated exposure may cause skin dryness or cracking.  
 EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

**Precautionary statements**

P280 Wear protective gloves/ protective clothing/ eye protection.  
 P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.  
 P391 Collect spillage.  
 P501 Dispose of contents/container in accordance with local regulation.

**2.3 Other hazards**

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

Deltamethrin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.2 Mixtures****Chemical nature**

Emulsion, oil in water (EW)

**Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification REGULATION (EC) No 1272/2008	Conc. [%]

**AQUA K-OTHRINE®**

3/12

Version 1 / IND  
102000032068Revision Date: 16.09.2024  
Print Date: 16.09.2024

Deltamethrin	52918-63-5	Acute Tox. 3, H301 Aquatic Chronic 1, H410 Aquatic Acute 1, H400 Acute Tox. 3, H331	2.00
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5 01-2119451097-39-XXXX	Asp. Tox. 1, H304 Aquatic Chronic 2, H411	> 2.50 -< 25.00
Stearyl alcohol, ethoxylated	9005-00-9	Eye Dam. 1, H318	> 1.00 -< 5.00
1,2-Benzisothiazol-3(2H)-one	2634-33-5 01-2120761540-60-0003	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Skin Sens. 1, H317	> 0.005 -< 0.05

**Further information**

For the full text of the H-Statements mentioned in this Section, see Section 16.

**SECTION 4: FIRST AID MEASURES****4.1 Description of first aid measures****General advice**

Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.

**Inhalation**

Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.

**Skin contact**

Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. In case of skin irritation, application of oils or lotions containing vitamin E may be considered. If symptoms persist, call a physician.

**Eye contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. Apply soothing eye drops, if needed anaesthetic eye drops. Get medical attention if irritation develops and persists.

**Ingestion**

Rinse mouth. Do NOT induce vomiting. Do not leave victim unattended. Call a physician or poison control center immediately.

**4.2 Most important symptoms and effects, both acute and delayed****Symptoms**

Local: Skin and eye paraesthesia which may be severe, Usually transient with resolution within 24 hours, Skin, eye and mucous membrane irritation, Cough, sneezing

**AQUA K-OTHRINE®**Version 1 / IND  
102000032068**4/12**Revision Date: 16.09.2024  
Print Date: 16.09.2024

Systemic:, discomfort in the chest, tachycardia, hypotension, Nausea, Abdominal pain, Diarrhoea, Vomiting, Blurred vision, Headache, Anorexia, Somnolence, Coma, Convulsions, Tremors, Prostration, Airway hyperreaction, Pulmonary oedema, Palpitation, Muscular fasciculation, Apathy, Dizziness

**4.3 Indication of any immediate medical attention and special treatment needed**

<b>Risks</b>	This product contains a pyrethroid. Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.
<b>Treatment</b>	<p>Systemic treatment: Initial treatment: symptomatic. Monitor: respiratory and cardiac functions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Keep respiratory tract clear. Oxygen or artificial respiration if needed. In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens. If not effective, phenobarbital may be used.</p> <p>Contraindication: atropine. Contraindication: derivatives of adrenaline. There is no specific antidote. Recovery is spontaneous and without sequelae.</p> <p>In case of skin irritation, application of oils or lotions containing vitamin E may be considered.</p>

**SECTION 5: FIREFIGHTING MEASURES****5.1 Extinguishing media**

<b>Suitable</b>	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
<b>Unsuitable</b>	High volume water jet
<b>Hazchem Code</b>	3Z

**5.2 Special hazards arising from the substance or mixture**

Dangerous gases are evolved in the event of a fire.

**5.3 Advice for firefighters**

<b>Special protective equipment for firefighters</b>	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
<b>Further information</b>	Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth.

**AQUA K-OTHRINE®**Version 1 / IND  
102000032068

5/12

Revision Date: 16.09.2024  
Print Date: 16.09.2024**SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1 Personal precautions, protective equipment and emergency procedures**

**Precautions** Keep people away from and upwind of spill/leak. Avoid contact with spilled product or contaminated surfaces. When dealing with a spillage do not eat, drink or smoke.

**6.3 Methods and materials for containment and cleaning up**

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Clean floors and contaminated objects with plenty of water.

**Additional advice** Check also for any local site procedures.

**6.4 Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

**SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling**

**Advice on safe handling** No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.

**Advice on protection against fire and explosion** Keep away from heat and sources of ignition. Vapours may form explosive mixture with air.

**Hygiene measures** When using, do not eat, drink or smoke. Remove soiled clothing immediately and clean thoroughly before using again. Contaminated work clothing should not be allowed out of the workplace. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics. Wash hands immediately after work, if necessary take a shower.

**7.2 Conditions for safe storage, including any incompatibilities**

**Requirements for storage areas and containers** Store in a place accessible by authorized persons only. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from direct sunlight. Protect from freezing.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

**Suitable materials** Coex EVOH (1000L IBC)

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Deltamethrin	52918-63-5	0.01 mg/m3		OES BCS*

**AQUA K-OTHRINE®**Version 1 / IND  
102000032068

6/12

Revision Date: 16.09.2024  
Print Date: 16.09.2024

		(TWA)	
--	--	-------	--

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

**8.2 Exposure controls****Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

<b>Respiratory protection</b>	Respiratory protection is not required under anticipated circumstances of exposure. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.								
<b>Hand protection</b>	Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). <table> <tr> <td>Material</td> <td>Nitrile rubber</td> </tr> <tr> <td>Rate of permeability</td> <td>&gt; 480 min</td> </tr> <tr> <td>Glove thickness</td> <td>&gt; 0.4 mm</td> </tr> <tr> <td>Directive</td> <td>Protective gloves complying with EN 374.</td> </tr> </table>	Material	Nitrile rubber	Rate of permeability	> 480 min	Glove thickness	> 0.4 mm	Directive	Protective gloves complying with EN 374.
Material	Nitrile rubber								
Rate of permeability	> 480 min								
Glove thickness	> 0.4 mm								
Directive	Protective gloves complying with EN 374.								
<b>Eye protection</b>	Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).								
<b>Skin and body protection</b>	Wear standard coveralls and Category 3 Type 6 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.								

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

<b>Form</b>	suspension, opaque
<b>Colour</b>	white
<b>Odour</b>	strong, characteristic
<b>Odour Threshold</b>	No data available
<b>pH</b>	3.5 - 5.0 (100 %) (23 °C) 4.5 - 7.5 (1 %) (23 °C) (deionized water)

**AQUA K-OTHRINE®**Version 1 / IND  
102000032068

7/12

Revision Date: 16.09.2024  
Print Date: 16.09.2024

<b>Melting point/range</b>	No data available
<b>Boiling Point</b>	No data available
<b>Flash point</b>	No data available
<b>Flammability</b>	No data available
<b>Auto-ignition temperature</b>	> 450 °C The data refer to solvent naphtha petroleum.
<b>Minimum ignition energy</b>	No data available
<b>Self-accelerating decomposition temperature (SADT)</b>	No data available
<b>Upper explosion limit</b>	7.00 %(V) The data refer to solvent naphtha petroleum.
<b>Lower explosion limit</b>	0.8 %(V) The data refer to solvent naphtha petroleum.
<b>Vapour pressure</b>	No data available
<b>Evaporation rate</b>	No data available
<b>Relative vapour density</b>	1.00 The data refer to solvent naphtha petroleum.
<b>Relative density</b>	No data available
<b>Density</b>	ca. 1.00 g/cm³ (20 °C)
<b>Water solubility</b>	No data available
<b>Partition coefficient: n-octanol/water</b>	Deltamethrin: log Pow: 6.4 (25 °C)
<b>Viscosity, dynamic</b>	<= 30 mPa.s (20 °C) Velocity gradient 7.5 /s
<b>Viscosity, kinematic</b>	ca. 3 mm²/s (40 °C)
<b>Oxidizing properties</b>	No data available
<b>Explosivity</b>	No data available
<b>9.2 Other information</b>	Further safety related physical-chemical data are not known.

---

**SECTION 10: STABILITY AND REACTIVITY**

<b>10.1 Reactivity</b>	Stable under normal conditions.
<b>10.2 Chemical stability</b>	Stable under recommended storage conditions.

**AQUA K-OTHRINE®**Version 1 / IND  
102000032068

8/12

Revision Date: 16.09.2024  
Print Date: 16.09.2024

<b>10.3 Possibility of hazardous reactions</b>	No hazardous reactions when stored and handled according to prescribed instructions.
<b>10.4 Conditions to avoid</b>	Extremes of temperature and direct sunlight.
<b>10.5 Incompatible materials</b>	Store only in the original container.
<b>10.6 Hazardous decomposition products</b>	No decomposition products expected under normal conditions of use.

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on toxicological effects**

<b>Acute oral toxicity</b>	LD50 (Rat) 304 mg/kg Test conducted with a similar formulation.
<b>Acute inhalation toxicity</b>	LC50 (Rat) > 5.80 mg/l Exposure time: 4 h Highest attainable concentration. Test conducted with a similar formulation.
<b>Acute dermal toxicity</b>	LD50 (Rat) > 5,000 mg/kg Test conducted with a similar formulation.
<b>Skin corrosion/irritation</b>	Slight irritant effect - does not require labelling. (Rabbit) Test conducted with a similar formulation.
<b>Serious eye damage/eye irritation</b>	Slight irritant effect - does not require labelling. (Rabbit) Test conducted with a similar formulation.
<b>Respiratory or skin sensitisation</b>	Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Buehler test Test conducted with a similar formulation. Sensitising (Mouse) OECD Test Guideline 429, local lymph node assay (LLNA)

**Assessment STOT Specific target organ toxicity – single exposure**

Deltamethrin: Based on available data, the classification criteria are not met.

**Assessment STOT Specific target organ toxicity – repeated exposure**

Deltamethrin caused neurobehavioral effects and/or neuropathological changes in animal studies. The toxic effects of Deltamethrin are related to transient neurobehavioral effects typical for pyrethroid neurotoxicity.

**Assessment mutagenicity**

Deltamethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

**Assessment carcinogenicity**

Deltamethrin was not carcinogenic in lifetime feeding studies in rats and mice.

**Assessment toxicity to reproduction**

Deltamethrin did not cause reproductive toxicity in a two-generation study in rats.

**Assessment developmental toxicity**

**AQUA K-OTHRINE®**Version 1 / IND  
102000032068

9/12

Revision Date: 16.09.2024  
Print Date: 16.09.2024

Deltamethrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Deltamethrin are related to maternal toxicity.

**Aspiration hazard**

May be fatal if swallowed and enters airways.

**Further information**

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

---

**SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity****Toxicity to fish**

LC50 (Oncorhynchus mykiss (rainbow trout)) 0.15 µg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient deltamethrin.

**Toxicity to aquatic invertebrates**

EC50 (Daphnia magna (Water flea)) 0.0131 µg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient deltamethrin.

**Toxicity to aquatic plants**

EC50 (algae) &gt; 9.1 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient deltamethrin.

**12.2 Persistence and degradability****Biodegradability**

Deltamethrin:

Not rapidly biodegradable

**Koc**

Deltamethrin: Koc: 10240000

**12.3 Bioaccumulative potential****Bioaccumulation**

Deltamethrin: Bioconcentration factor (BCF) 1,400

Does not bioaccumulate.

**12.4 Mobility in soil****Mobility in soil**

Deltamethrin: Immobile in soil

**12.5 Results of PBT and vPvB assessment****PBT and vPvB assessment**

Deltamethrin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

**12.6 Other adverse effects**

---

**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods****Product**

In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

**AQUA K-OTHRINE®**Version 1 / IND  
102000032068

10/12

Revision Date: 16.09.2024  
Print Date: 16.09.2024**Contaminated packaging**

Triple rinse containers.  
Do not re-use empty packagings.  
Not completely emptied packagings should be disposed of as hazardous waste.

**Legal basis**

**Waste key in accordance with Schedule I of the Hazardous Waste Rules, 2008 as amended (India - EP Act):**

29.1 Process wastes/residues  
29.3 Date-expired and off-specification pesticides

---

**SECTION 14: TRANSPORT INFORMATION****ADR/RID/ADN**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DELTAMETHRIN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Hazchem Code	3Z
Tunnel Code	-

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

**IMDG**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DELTAMETHRIN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Marine pollutant	YES

**IATA**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DELTAMETHRIN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES

**14.6 Special precautions for user**

See sections 6 to 8 of this Safety Data Sheet.

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**

No transport in bulk according to the IBC Code.

**AQUA K-OTHRINE®**Version 1 / IND  
102000032068

11/12

Revision Date: 16.09.2024  
Print Date: 16.09.2024

---

**SECTION 15: REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Further information**

WHO-classification: II (Moderately hazardous)

**Labeling according to Insecticide Rules 1971 as amended. (INDIA)**

Class II: Highly toxic  
Colour: bright yellow  
Poison!  
Keep out of the reach of children.

---

**SECTION 16: OTHER INFORMATION****Text of the hazard statements mentioned in Section 3**

H304 May be fatal if swallowed and enters airways.  
H318 Causes serious eye damage.  
H411 Toxic to aquatic life with long lasting effects.

**Abbreviations and acronyms**

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development

**AQUA K-OTHRINE®****12/12**Version 1 / IND  
102000032068Revision Date: 16.09.2024  
Print Date: 16.09.2024

---

RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2020/878 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

**Reason for Revision:** Reviewed and updated for general editorial purposes.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.