

Maxforce Forte

FIPRONIL 0.05% w/w GEL
(Insecticide for Household use)
(For Import Only)
READ LEAFLET BEFORE USE.

Fipronil 0.05% Gel is a household insecticide recommended for the control of American cockroaches (*Periplaneta americana*) & German Cockroach (*Blattella germanica*), commonly found in the food handling/processing areas of household and commercial premises. Such as restaurants, hotels, shops, ships, hospital and private houses.

Ingredient:	Content (%)w/w
Fipronil a.i.:	0.05%
2-(2-butoxyethoxy) ethanol (Solvent):	0.50%
Soyabean oil (Solvent):	12.00%
Oil Flour Fine (Attractant):	10.00%
Fried Fish Powder Flavour (Attractant):	3.00%
Beta-D-Fructofuranosyl-alpha-glucopyranoside (Attractant):	15.00%
10% Sodium hydroxide in water (Emulsifier):	3.00%
Mixture of Glycerin mono and diesters in Glycerin (Emulsifier):	1.00%
2-propionic acid, homopolymer (Thickener):	1.50%
Mixture of Polyacacchides, Calcium phosphate, Calcium Sulphate dihydrate (Thickener):	1.25%
1,2-Benzisothiazolin-3-one (Preservative):	0.50%
(20% Soln. in dimethylene glycol and water) Mixture of 5-chloro-2-methyl isothiazoline & 2-methyl-2H-isothiazolo-one in water (Preservative):	0.01%
Denatonium benzoate (Bittering agent):	0.15%
70% Sorbitol in water (Diluent):	11.10%
Demineralized water (Carrier):	Balance
Total:	100.00%

Direction for use: Apply the gel in spots at the hiding place of cockroaches, generally cracks & crevices.

Recommended Dose:

Species	Recommended Dose
	(100 mg spot = approx. 5mm diameter)
Low Density infestation	High Density infestation
German Cockroach <i>Blattella germanica</i>	1 spot/m ² 2 spots/m ²
American Cockroach <i>Periplaneta americana</i>	2 spots/m ² 3 spots/m ²

a-Low Density Infestation: Cockroaches rarely visible during the day
b-High Density Infestation: Cockroaches commonly visible during the day

Surface of application: Cement, Wood, Glass, Tile and Steel (Not to be applied on mud surface).

Re-entry: Not applicable

Cautions: Not to be used for any purpose other than those subscribed on Label/Leaflet.

Weather condition in general: Not applicable
Wanner and time of application: No special equipment is required in case of spraying (Plunger type). In case of cartridge, use gel applicator.

The cartridge containing the insecticide is to be fitted to the specially designed gel applicator, which facilitates precision dosing and at every 30ml, 1.1 g of Fipronil gel is released.

For effective management of cockroaches, apply Fipronil gel in cracks and crevices where cockroaches are found hiding or places that are inaccessible to regular cleaning but accessible to cockroaches.

Non-moving parts of kitchen equipment which are not in direct contact with food can be treated with gel. But should be avoided, not applied inside equipment like microwave, mixer, grinder, ovens or toaster.

Safety Precautions: Keep away from food stuff and areas or surfaces which come in direct contact with food. Discard any food stuff accidentally contaminated with product. Avoid application in or on surfaces that frequently come in direct contact with human being or pets. Do not smoke, eat, drink while handling product.

Symptoms of poisoning: No symptoms of poisoning are reported in human beings. Based on test conducted on laboratory animals, the symptoms like nasal discharge and abdominal breathing may be observed.

First Aid: If swallowed, do not induce vomiting, wash mouth with water. In case of skin contact, wash off thoroughly with plenty of water & soap. If symptoms persist, call a physician immediately. In case of eye contact, rinse immediately with plenty of water, also under the eye lids, for at least 15 minutes. In case of contact lens, remove the lens from eyes within 5 minutes and continue rinsing eyes with water. If the insecticide is inhaled, get the victim into fresh air immediately. Get medical attention if irritation develops and persists.

Antidote: Specific antidote is not known. Treat symptomatically.

Disposal of empty containers: 1. It shall be duty of manufacturers, formulators of insecticides and operators to dispose packages of surplus materials and washing in a safer manner so as to prevent environmental or water pollution. 2. The used packages shall not be left outside to weather but re-use. 3. The packages shall be broken and buried away from habitation.

Warning: Dangerous to re-use empty containers.

Destroy the container after use as directed on leaflet.

मॅक्सफोर्स फोर्ट

फिप्रोनिल ०.०५% भार/भार जेल
(घरेलू कीटनाशक)
(केवल आयात के लिए)
उपयोग से पहले संलग्न नोटिफिकेशन पढ़ें

फिप्रोनिल ०.०५% जेल एक घरेलू कीटनाशक है। घरेलू कीटमय फिलस्ट्रे (अमेरिकन कोकरोच) एवं जर्मन फिलस्ट्रे (जर्मन कोकरोच) की नियंत्रण के लिए फिप्रोनिल की जाती है। घरेलू तथा व्यावसायिक क्षेत्र में जैसे रेस्टोरेंट, होटल, दुकान, जहाज, अस्पताल और आम घरे में खास पानी बनामोले क्षेत्र में है फिलस्ट्रे पाए जाते हैं।

घटक:	मात्रा (% भार/भार
फिप्रोनिल सक्रिय घटक:	०.०५%
२-(२-बुटोथीलीथेकोली) एथेनॉल (सोल्वेंट):	०.५०%
सोयाबीन तेल (सोल्वेंट):	१२.००%
ऑयल फ्लूर फ़ाइन (आकर्षक):	१०.००%
फ्राइड फ़िश पावडर का फ़्लेवर ((आकर्षक):	१०.००%
Beta-D-Fructofuranosyl-alpha-glucopyranoside (आकर्षक):	१५.००%
१०% सोडियम हाइड्रोक्साइड पानी में (इमलुसिफर):	३.००%
ग्लिसिरिन मोनो और डाइस्टीअर और ग्लिसिरिन मिश्रण (इमलुसिफर):	१.००%
२-प्रोपेनोइक एसिड, होमोपॉलिमर (थिक्नर):	१.५०%
मिश्रण Polyacacchides, कैल्शियम फॉस्फेट, कैल्शियम Sulphate dihydrate (थिक्नर):	1.25%
1,2-Benzisothiazolin-3-one (Preservative):	0.50%
(20% Soln. in dimethylene glycol and water) Mixture of 5-chloro-2-methyl isothiazoline & 2-methyl-2H-isothiazolo-one in water (Preservative):	0.01%
Denatonium benzoate (Bittering agent):	0.15%
70% Sorbitol in water (Diluent):	11.10%
Demineralized water (Carrier):	Balance
Total:	100.00%

Direction for use: Apply the gel in spots at the hiding place of cockroaches, generally cracks & crevices.

Recommended Dose:

Species	Recommended Dose
	(100 mg spot = approx. 5mm diameter)
Low Density infestation	High Density infestation
German Cockroach <i>Blattella germanica</i>	1 spot/m ² 2 spots/m ²
American Cockroach <i>Periplaneta americana</i>	2 spots/m ² 3 spots/m ²

a-Low Density Infestation: Cockroaches rarely visible during the day
b-High Density Infestation: Cockroaches commonly visible during the day

Surface of application: Cement, Wood, Glass, Tile and Steel (Not to be applied on mud surface).

Re-entry: Not applicable

Cautions: Not to be used for any purpose other than those subscribed on Label/Leaflet.

Weather condition in general: Not applicable
Wanner and time of application: No special equipment is required in case of spraying (Plunger type). In case of cartridge, use gel applicator.

The cartridge containing the insecticide is to be fitted to the specially designed gel applicator, which facilitates precision dosing and at every 30ml, 1.1 g of Fipronil gel is released.

For effective management of cockroaches, apply Fipronil gel in cracks and crevices where cockroaches are found hiding or places that are inaccessible to regular cleaning but accessible to cockroaches.

Non-moving parts of kitchen equipment which are not in direct contact with food can be treated with gel. But should be avoided, not applied inside equipment like microwave, mixer, grinder, ovens or toaster.

Safety Precautions: Keep away from food stuff and areas or surfaces which come in direct contact with food. Discard any food stuff accidentally contaminated with product. Avoid application in or on surfaces that frequently come in direct contact with human being or pets. Do not smoke, eat, drink while handling product.

Symptoms of poisoning: No symptoms of poisoning are reported in human beings. Based on test conducted on laboratory animals, the symptoms like nasal discharge and abdominal breathing may be observed.

First Aid: If swallowed, do not induce vomiting, wash mouth with water. In case of skin contact, wash off thoroughly with plenty of water & soap. If symptoms persist, call a physician immediately. In case of eye contact, rinse immediately with plenty of water, also under the eye lids, for at least 15 minutes. In case of contact lens, remove the lens from eyes within 5 minutes and continue rinsing eyes with water. If the insecticide is inhaled, get the victim into fresh air immediately. Get medical attention if irritation develops and persists.

Antidote: Specific antidote is not known. Treat symptomatically.

Disposal of empty containers: 1. It shall be duty of manufacturers, formulators of insecticides and operators to dispose packages of surplus materials and washing in a safer manner so as to prevent environmental or water pollution. 2. The used packages shall not be left outside to weather but re-use. 3. The packages shall be broken and buried away from habitation.

Warning: Dangerous to re-use empty containers.

Destroy the container after use as directed on leaflet.

मॅक्सफोर्स फोर्ट

फिप्रोनिल ०.०५% डबल्यू/ डबल्यू जेल
(घरेलू वास्तुवासी कीटनाशक)
(केवल आयात के लिए)
उपयोग से पहले संलग्न नोटिफिकेशन पढ़ें

फिप्रोनिल ०.०५% जेल एक घरेलू कीटनाशक आहे, जर्मनी वितरण अमेरिकन डूक (अमेरिकन कोकरोच) आणि जर्मन डूक (जर्मन कोकरोच) कोष नियंत्रणसाठी केली जाते, ये सामान्यतः खाद्य हाताळणे / संस्करण होता असेलच्या घरेलू आणि व्यावसायिक क्षेत्रों में जैसे रेस्टोरेंट, होटल, दुकान, जहाज, अस्पताल और आम घरे में खास पानी बनामोले क्षेत्र में है फिलस्ट्रे पाए जाते हैं।

घटक:	प्रमाण (% भार/भ)
फिप्रोनिल सक्रिय घटक:	०.०५%
2-(2-बुटोथीलीथेकोली) एथीनॉल (सोल्वेंट):	०.5०%
सोयाबीन तेल (सोल्वेंट):	१२.००%
ऑयल फीश पावडी (आकर्षक):	१०.००%
ताकलेया पावारी छूट, स्वाद (आकर्षक):	१०.००%
बीटा-डी-फ्रक्टोसुरोसोसिड-असरा-ग्लूकोसुरोसोसिड (आकर्षक):	१५.००%
पावलीम 10% सोडियम हाइड्रोक्साइड (इमलुसिफर):	३.००%
ग्लिसिरिन मोनो और डाइस्टीन ग्लायकोसुरोसोसिड मिश्रण (इमलुसिफर):	१.००%
२-प्रोपेनोइक एसिड, होमोपॉलिमर (थिक्नर):	१.५०%
पॉलिस्टैकहाइड्र, ट्राम-सोडियम फॉस्फेट, कैल्शियम सल्फेट (थिक्नर):	१.२५%
१,२-प्रोपेनोइक एसिड, होमोपॉलिमर (थिक्नर):	०.५०%
(२०% सोल्यूशन डाइमिथिलेन ग्लायकोल और पानी पानी)	
४-नॉनिल-३-मिथाइल डेनोनाटियमबेन्जोएट और २-मिथाइल-२-डेनोनाटियमबेन्जोएट-अन पानी में मिश्रण (बिटरिंग एजेंट):	०.१५%
कालियम ७०% सोरबिटॉल (डिल्यूट):	११.१०%
डिमिनेराइज्ड वॉटर (कैरियर):	१००.००%

वापससाठी दिशाविर्णय: सामान्यतः डूक संलग्नच्या छिन्नाची, घेता आणि घट्टीमध्ये जेल लावा.

प्रजाती	वितरण केलेला डोस
Low Density infestation	High Density infestation
German Cockroach <i>Blattella germanica</i>	1 spot/m ² 2 spots/m ²
American Cockroach <i>Periplaneta americana</i>	2 spots/m ² 3 spots/m ²

a-Low Density Infestation: Cockroaches rarely visible during the day
b-High Density Infestation: Cockroaches commonly visible during the day

Surface of application: Cement, Wood, Glass, Tile and Steel (Not to be applied on mud surface).

Re-entry: Not applicable

Cautions: Not to be used for any purpose other than those subscribed on Label/Leaflet.

Weather condition in general: Not applicable
Wanner and time of application: No special equipment is required in case of spraying (Plunger type). In case of cartridge, use gel applicator.

The cartridge containing the insecticide is to be fitted to the specially designed gel applicator, which facilitates precision dosing and at every 30ml, 1.1 g of Fipronil gel is released.

For effective management of cockroaches, apply Fipronil gel in cracks and crevices where cockroaches are found hiding or places that are inaccessible to regular cleaning but accessible to cockroaches.

Non-moving parts of kitchen equipment which are not in direct contact with food can be treated with gel. But should be avoided, not applied inside equipment like microwave, mixer, grinder, ovens or toaster.

Safety Precautions: Keep away from food stuff and areas or surfaces which come in direct contact with food. Discard any food stuff accidentally contaminated with product. Avoid application in or on surfaces that frequently come in direct contact with human being or pets. Do not smoke, eat, drink while handling product.

Symptoms of poisoning: No symptoms of poisoning are reported in human beings. Based on test conducted on laboratory animals, the symptoms like nasal discharge and abdominal breathing may be observed.

First Aid: If swallowed, do not induce vomiting, wash mouth with water. In case of skin contact, wash off thoroughly with plenty of water & soap. If symptoms persist, call a physician immediately. In case of eye contact, rinse immediately with plenty of water, also under the eye lids, for at least 15 minutes. In case of contact lens, remove the lens from eyes within 5 minutes and continue rinsing eyes with water. If the insecticide is inhaled, get the victim into fresh air immediately. Get medical attention if irritation develops and persists.

Antidote: Specific antidote is not known. Treat symptomatically.

Disposal of empty containers: 1. It shall be duty of manufacturers, formulators of insecticides and operators to dispose packages of surplus materials and washing in a safer manner so as to prevent environmental or water pollution. 2. The used packages shall not be left outside to weather but re-use. 3. The packages shall be broken and buried away from habitation.

Warning: Dangerous to re-use empty containers.

Destroy the container after use as directed on leaflet.

मॅक्सफोर्स इंटो

फिप्रोनिल ०.05% w/v व/व जेल
(घरेलू चंतुवासा)
(केवल आयात के लिए)
उपयोग से पहले संलग्न नोटिफिकेशन पढ़ें

फिप्रोनिल ०.05% w/v जेल घरेलू कीटनाशक है, जर्मनी अमेरिकन कोकरोच (अमेरिकन कोकरोच), तथा जर्मन कोकरोच (जर्मन कोकरोच) को नियंत्रण के लिए फिप्रोनिल की जाती है। घरेलू तथा व्यावसायिक क्षेत्रों में जैसे रेस्टोरेंट, होटल, दुकान, जहाज, अस्पताल और आम घरे में खास पानी बनामोले क्षेत्र में है फिलस्ट्रे पाए जाते हैं।

सामग्री (% w/v)	
फिप्रोनिल सक्रिय घटक:	0.05%
2-(2-बुटोथीलीथेकोली) एथीनॉल (सोल्वेंट):	0.50%
सोयाबीन तेल (सोल्वेंट):	12.00%
ऑयल फीश पावडी (आकर्षक):	10.00%
ताकलेया पावारी छूट, स्वाद (आकर्षक):	10.00%
बीटा-डी-फ्रक्टोसुरोसोसिड-असरा-ग्लूकोसुरोसोसिड (आकर्षक):	15.00%
पावलीम 10% सोडियम हाइड्रोक्साइड (इमलुसिफर):	3.00%
ग्लिसिरिन मोनो और डाइस्टीन ग्लायकोसुरोसोसिड मिश्रण (इमलुसिफर):	1.00%
२-प्रोपेनोइक एसिड, होमोपॉलिमर (थिक्नर):	1.50%
पॉलिस्टैकहाइड्र (थिक्नर):	1.25%
१,२-प्रोपेनोइक एसिड, होमोपॉलिमर (थिक्नर):	0.५०%
(२०% सोल्यूशन डाइमिथिलेन ग्लायकोल और पानी पानी)	
४-नॉनिल-३-मिथाइल डेनोनाटियमबेन्जोएट और २-मिथाइल-२-डेनोनाटियमबेन्जोएट-अन पानी में मिश्रण (बिटरिंग एजेंट):	०.१५%
कालियम ७०% सोरबिटॉल (डिल्यूट):	११.१०%
डिमिनेराइज्ड वॉटर (कैरियर):	१००.००%

वापससाठी दिशाविर्णय: सामान्यतः डूक संलग्नच्या छिन्नाची, घेता आणि घट्टीमध्ये जेल लावा.

प्रजाती	वितरण केलेला डोस
Low Density infestation	High Density infestation
German Cockroach <i>Blattella germanica</i>	1 spot/m ² 2 spots/m ²
American Cockroach <i>Periplaneta americana</i>	2 spots/m ² 3 spots/m ²

a-Low Density Infestation: Cockroaches rarely visible during the day
b-High Density Infestation: Cockroaches commonly visible during the day

Surface of application: Cement, Wood, Glass, Tile and Steel (Not to be applied on mud surface).

Re-entry: Not applicable

Cautions: Not to be used for any purpose other than those subscribed on Label/Leaflet.

Weather condition in general: Not applicable
Wanner and time of application: No special equipment is required in case of spraying (Plunger type). In case of cartridge, use gel applicator.

The cartridge containing the insecticide is to be fitted to the specially designed gel applicator, which facilitates precision dosing and at every 30ml, 1.1 g of Fipronil gel is released.

For effective management of cockroaches, apply Fipronil gel in cracks and crevices where cockroaches are found hiding or places that are inaccessible to regular cleaning but accessible to cockroaches.

Non-moving parts of kitchen equipment which are not in direct contact with food can be treated with gel. But should be avoided, not applied inside equipment like microwave, mixer, grinder, ovens or toaster.

Safety Precautions: Keep away from food stuff and areas or surfaces which come in direct contact with food. Discard any food stuff accidentally contaminated with product. Avoid application in or on surfaces that frequently come in direct contact with human being or pets. Do not smoke, eat, drink while handling product.

Symptoms of poisoning: No symptoms of poisoning are reported in human beings. Based on test conducted on laboratory animals, the symptoms like nasal discharge and abdominal breathing may be observed.

First Aid: If swallowed, do not induce vomiting, wash mouth with water. In case of skin contact, wash off thoroughly with plenty of water & soap. If symptoms persist, call a physician immediately. In case of eye contact, rinse immediately with plenty of water, also under the eye lids, for at least 15 minutes. In case of contact lens, remove the lens from eyes within 5 minutes and continue rinsing eyes with water. If the insecticide is inhaled, get the victim into fresh air immediately. Get medical attention if irritation develops and persists.

Antidote: Specific antidote is not known. Treat symptomatically.

Disposal of empty containers: 1. It shall be duty of manufacturers, formulators of insecticides and operators to dispose packages of surplus materials and washing in a safer manner so as to prevent environmental or water pollution. 2. The used packages shall not be left outside to weather but re-use. 3. The packages shall be broken and buried away from habitation.

Warning: Dangerous to re-use empty containers.

Destroy the container after use as directed on leaflet.

मैक्सड्रॅम डेवरेट

झी.एच.डी. ०.०५% w/v व/व जेल
(घरेलू कीटनाशक)
(केवल आयात के लिए)
उपयोग से पहले संलग्न नोटिफिकेशन पढ़ें

झी.एच.डी. ०.०५% जेल एक घरेलू कीटनाशक है जिस है मुख्यतः एक घाघराय सबार्गों के नियंत्रण के लिए - जर्मन - जर्मन (जर्मन कोकरोच) और अमेरिकन कोकरोच (अमेरिकन कोकरोच) को नियंत्रण के लिए फिप्रोनिल की जाती है। घरेलू तथा व्यावसायिक क्षेत्रों में जैसे रेस्टोरेंट, होटल, दुकान, जहाज, अस्पताल और आम घरे में खास पानी बनामोले क्षेत्र में है फिलस्ट्रे पाए जाते हैं।

सामग्री (% w/v)	
फिप्रोनिल सक्रिय घटक:	०.०५%
2-(2-बुटोथीलीथेकोली) एथीनॉल (सोल्वेंट):	०.५०%
सोयाबीन तेल (सोल्वेंट):	१२.००%
ऑयल फीश पावडी (आकर्षक):	१०.००%
ताकलेया पावारी छूट, स्वाद (आकर्षक):	१०.००%
बीटा-डी-फ्रक्टोसुरोसोसिड-असरा-ग्लूकोसुरोसोसिड (आकर्षक):	15.00%
पावलीम 10% सोडियम हाइड्रोक्साइड (इमलुसिफर):	३.००%
ग्लिसिरिन मोनो और डाइस्टीन ग्लायकोसुरोसोसिड मिश्रण (इमलुसिफर):	१.००%
२-प्रोपेनोइक एसिड, होमोपॉलिमर (थिक्नर):	१.५०%
पॉलिस्टैकहाइड्र (थिक्नर):	१.२५%
१,२-प्रोपेनोइक एसिड, होमोपॉलिमर (थिक्नर):	०.५०%
(२०% सोल्यूशन डाइमिथिलेन ग्लायकोल और पानी पानी)	
४-नॉनिल-३-मिथाइल डेनोनाटियमबेन्जोएट और २-मिथाइल-२-डेनोनाटियमबेन्जोएट-अन पानी में मिश्रण (बिटरिंग एजेंट):	०.१५%
कालियम ७०% सोरबिटॉल (डिल्यूट):	११.१०%
डिमिनेराइज्ड वॉटर (कैरियर):	१००.००%

वापससाठी दिशाविर्णय: सामान्यतः डूक संलग्नच्या छिन्नाची, घेता आणि घट्टीमध्ये जेल लावा.

प्रजाती	वितरण केलेला डोस
Low Density infestation	High Density infestation
German Cockroach <i>Blattella germanica</i>	1 spot/m ² 2 spots/m ²
American Cockroach <i>Periplaneta americana</i>	2 spots/m ² 3 spots/m ²

a-Low Density Infestation: Cockroaches rarely visible during the day
b-High Density Infestation: Cockroaches commonly visible during the day

Surface of application: Cement, Wood, Glass, Tile and Steel (Not to be applied on mud surface).

Re-entry: Not applicable

Cautions: Not to be used for any purpose other than those subscribed on Label/Leaflet.

Weather condition in general: Not applicable
Wanner and time of application: No special equipment is required in case of spraying (Plunger type). In case of cartridge, use gel applicator.

The cartridge containing the insecticide is to be fitted to the specially designed gel applicator, which facilitates precision dosing and at every 30ml, 1.1 g of Fipronil gel is released.

For effective management of cockroaches, apply Fipronil gel in cracks and crevices where cockroaches are found hiding or places that are inaccessible to regular cleaning but accessible to cockroaches.

Non-moving parts of kitchen equipment which are not in direct contact with food can be treated with gel. But should be avoided, not applied inside equipment like microwave, mixer, grinder, ovens or toaster.

Safety Precautions: Keep away from food stuff and areas or surfaces which come in direct contact with food. Discard any food stuff accidentally contaminated with product. Avoid application in or on surfaces that frequently come in direct contact with human being or pets. Do not smoke, eat, drink while handling product.

Symptoms of poisoning: No symptoms of poisoning are reported in human beings. Based on test conducted on laboratory animals, the symptoms like nasal discharge and abdominal breathing may be observed.

First Aid: If swallowed, do not induce vomiting, wash mouth with water. In case of skin contact, wash off thoroughly with plenty of water & soap. If symptoms persist, call a physician immediately. In case of eye contact, rinse immediately with plenty of water, also under the eye lids, for at least 15 minutes. In case of contact lens, remove the lens from eyes within 5 minutes and continue rinsing eyes with water. If the insecticide is inhaled, get the victim into fresh air immediately. Get medical attention if irritation develops and persists.

Antidote: Specific antidote is not known. Treat symptomatically.

Disposal of empty containers: 1. It shall be duty of manufacturers, formulators of insecticides and operators to dispose packages of surplus materials and washing in a safer manner so as to prevent environmental or water pollution. 2. The used packages shall not be left outside to weather but re-use. 3. The packages shall be broken and buried away from habitation.

